PRODUCT INFORMATION

Description 12-36V Red Stripe with Shroud, Long

Bracket

 Height
 48.00 mm / 1.89 in

 Width
 150.00 mm / 5.91 in

 Depth
 97.00 mm / 3.82 in

Shape Rectangular

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorBlack

Mounting Hardware Description (x1) 5/16"-18 x 1.00" Mounting Bolt

Bracket

Mounting Type Pedestal **Minimum Operating** -40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or Wiring Deutsch DT04-2P


Mating Connector Deutsch DT06-2S with harness included

with flying leads

Product Weight 0.90 lbs / 0.41 kgs **Shipping Weight** 1.09 lbs / 0.49 kgs



PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

 Input Voltage
 12-36 V

 Operating Voltage
 10-45 V

 Current Draw
 1.6A @ 12V

 .6A @ 24V
 .57A @ 36V

REGULATORY STANDARDS COMPLIANCE




IEC IP69K



PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Warning - Keep Out Zone



APPLICATIONS



PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.



RELATED PRODUCTS



Part Number 1603631 12-36V LED Red, Short Bracket



Part Number 1603641 12-36V LED Blue, Short 12-36V LED Amber Bracket



Part Number 1603651 Stripe Zone Light, Short Bracket



Part Number 1603681 12-36V LED Red Stripe Zone Light with Shroud, Short Bracket



Part Number 1603761 12-36V LED Red Stripe, Long Bracket



Part Number 1603771 12-36V LED Blue Stripe, Long Bracket



Part Number <u>1603781</u> 12-36V Amber Stripe Zone Light, Long Bracket



Part Number 1603811 48-110V LED Red Stripe Zone Light, Short Bracket

